The first state of the form of the first of

HARNESS, DICKEY & PIERCE, P.L.C.

ATTORNEYS AND COUNSELORS
P.O BOX 828
BLOOMFIELD HILLS, MICHIGAN 48303
U.S A.

.S A. TELEPHONE (248) 641-1600 amber 4, 1997

TELEFACSIMILE (248) 641-0270



Date: December 4, 1997

Hon. Commissioner of Patents and Trademarks Washington, D. C. 20231

Re:

Inventor:

Floyd R. Dickson, Donald P. Chevalier and Mark Daley-Fell

For:

LIGHT-TUBE RUNNING BOARD LIGHTING

Atty. Docket No.:

7939000007

Sir:

Transmitted herewith for filing is the above referenced patent application.

- [✓] 2 sheets of drawings showing Figures 1-2 are enclosed.
- 2. [] A Verified Statement Claiming Small Entity Status is enclosed.
- a. [] A check is enclosed to cover the fees as calculated below. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 08-0750. A duplicate copy of this document is enclosed.
- 3b. [✓] The fees calculated below will be paid within the time allotted for completion of the filing requirements.
- 3c. [] The fees calculated below are to be charged to Deposit Account No. 08-0750. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to said Deposit Account. A duplicate copy of this document is enclosed.

FILING FEE	Number				Numbe	r			Basic Fee
CALCULATION	Filed			_	Extra		Rate		\$790.00
Total Claims	20	_	20	=	0	×	\$22.00	=	0.00
Independent Claims	3	-	3	=	0	×	\$82.00	=	0.00
Multiple Dependent Claim	(s) Used						\$270.00	=	
FILING FEE - NON-S	MALL EN	ΠΤΥ							790.00
FILING FEE - SMALL ENTITY: Reduction by ½				395.00					
Assignment Recordal I	ee (\$40.0	0) .							
37 C.F.R. §1.17(k) Fee	e (non-Eng	lish	applic	atio	on)				
TOTAL									\$395.00

4.	[]	An Assignment of the invention is enclosed. The required cover sheet under 37 C.F.R. §3.11, §3.28 and §3.41 is attached.
5.	[🗸]	An unsigned Declaration is enclosed. An executed Declaration will be filed in accordance with 37 C.F.R. 1.63.
6.	[]	Foreign Priority: Priority based on Application No, filed , is claimed.
7.	[]	A copy of the above referenced priority document [] is enclosed [] will be filed in due course, pursuant to 35 U.S.C. §119(a)-(d).
8.	[]	Because the enclosed application is in a non-English language, a verified English translation for examination purposes of same [] is enclosed [] will be filed as soon as it is available.
9.	[]	Provisional Application Priority: Priority based on United States Provisional Application No, filed, is claimed under 35 U.S.C. §119(e).
10.	[]	A Preliminary Amendment is enclosed.
11.	[]	An Information Disclosure Statement, sheets of PTO Form 1449, and patent(s)/publications/documents are enclosed.
12.	[]	An Establishment of Assignee's Right To Prosecute Application Under 37 C.F.R. § 3.73(b), and Power Of Attorney is enclosed.
13.	[🗸]	An Express Mailing Certificate is enclosed.
14.	[✓]	Other Acknowledgment postcard

Date: December 4, 1997

Attention is directed to the fact that the address of this firm has been designated as the correspondence address for this application.

Respectfully,

Michael J. Schmidt Reg. No. 34,007

HARNESS, DICKEY & PIERCE, P.L.C.

ATTORNEYS AND COUNSELORS
P.O. BOX 828
BLOOMFIELD HILLS, MICHIGAN 48303
U.S.A.

Date: December 4, 1997

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

Sir:

EXPRESS MAILING CERTIFICATE

Applicants: Floyd R. Dickson, Donald P. Chevalier and Mark Daley-Fell

Serial No. (if any):

For: LIGHT-TUBE RUNNING BOARD LIGHTING

Docket: 7939000007

Attorney: Michael J. Schmidt

"Express Mail" Mailing Label Number EH 293 847 896 US

Date of Deposit December 4, 1997

I hereby certify and verify that this Express Mail Certificate (label no. **EH 293 847 896 US**), patent application transmittal (in duplicate), 10 pgs. patent application with unexecuted declaration, 2 pgs. drawings showing FIGS. 1-2, and postcard are being deposited with the United States Postal Service "Express Mail Post Office To Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Joseph Crum

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

TITLE: LIGHT-TUBE RUNNING BOARD LIGHTING

INVENTORS:

Floyd Dickson Don Chevalier

Mark Daley-Fell

10

15

20

LIGHT-TUBE RUNNING BOARD LIGHTING

BACKGROUND OF THE INVENTION

FIELD OF THE INVENTION

The present invention relates to lights for a running board of a vehicle and, more particularly, to a light tube for directly and uniformly lighting a stepping surface of the running board and a ground surface below the running board.

BACKGROUND AND SUMMARY OF THE INVENTION

Vehicle running boards customarily provide an intermediate step to aid in the entry or exit of the vehicle. These running boards typically extend from the rear of the front wheel well to either the end of the front doors or to the front of the rear wheel well. An example of such a running board can be seen in U.S. Patent No. 5,382,035.

Lighting assemblies for illuminating vehicle running boards have previously been associated with running boards for both decorative and safety purposes. Typically, such lighting assemblies employ standard incandescent bulbs and lenses to illuminate the running board from either end of the running board. This method causes increased glare to be cast upon the running board, and also causes light to shine in the user's eyes.

Another example of a typical lighting assembly employs a strip of small incandescent bulbs to cast light upon the running board. However, this method does

10

15

not allow for easy replacement of expired bulbs, nor does it provide for both ground lighting and step lighting from a single light source.

It is therefore desirable to provide a single lighting assembly capable of lighting a stepping surface of a running board, in addition to a ground surface below the running board. It is further desirable to provide a lighting assembly capable of lighting the stepping surface of the running board while minimizing glare and stray light, which may enter the eyes of the user.

According to the preferred embodiment of the present invention, a running board light assembly is provided having a light source emitting light into a light tube extending along the length of a running board. This method allows the light from the light tube to be cast directly and uniformly upon the stepping surface of the running board to improve safety and aesthetics. The light from the light tube may also be cast upon the ground below the running board by simply bending the end of the light tube downward or by tapping into the light source.

Further areas of applicability of the present invention will become apparent from the detailed description provided hereinafter. It should be understood however that the detailed description and specific examples, while indicating the preferred embodiment of the invention, are intended for purposes of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

20

10

15

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will become more fully understood from the detailed description and the accompanying drawings, wherein:

Figure 1 is a perspective view of the lighting assembly of the present invention attached to a running board of a vehicle.

Figure 2 is a partial cross-sectional view taken along line 2-2 of Figure 1.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The following description of the preferred embodiments is merely exemplary in nature and is in no way intended to limit the invention, its application, or uses.

Referring to Figure 1, a running board light assembly 10 in accordance with the teachings of the present invention is shown attached to a running board 12 of a vehicle 14. Running board light assembly 10 is adaptable to be attached to a variety of different vehicles including trucks and vans, among others. Running board light assembly 10 is designed to extend longitudinally from generally the front of a front door 16 to either the end of front door 16 (two-door vehicles) or the rear of a rear door 18 (four-door vehicles). It is anticipated that running board light assembly 10 can extend the entire length of running board 12 or may be coupled with other lighting assemblies for varying aesthetic effects.

Still referring to Figure 1, running board light assembly 10 includes a light tube 20 and a light source 22. Light tube 20 is preferably made of a hard acrylic material. However, soft acrylic and fiber-optic material have also been found to possess favorable qualities. As best seen in Figure 2, light tube 20 includes a

20

translucent or transparent outer portion 24 along its length. Translucent or transparent outer portion 24 allows light transmitted through light tube 20 by light source 22 to be directly and uniformly cast upon a stepping surface 26 of running board 12.

5

It is anticipated that running board light assembly 10 may be fastened to running board 12 after running board 12 is attached to vehicle 14. On the other hand, running board light assembly 10 may be integrated into the design and manufacture of running board 12 to provide an improved aesthetic value.

10

Light source 22 of running board light assembly 10 is preferably a single incandescent bulb disposed on an end of light tube 20. However, other common light sources, such as light emitting diodes (LED) or halogen bulbs, may be used. Referring to Figures 1 and 2, light source 22 is installed in an end of light tube 20 such that light source 22 is in communication with an interior volume 28 of light tube 20. Interior volume 28 carries the light and reflects it through translucent or transparent outer portion 24.

15

Using this method, various advantages are realized. First, the transmitting of light through interior volume 28 allows the light to be more efficiently directed over stepping surface 26. Therefore, only a single light source is required to illuminate an entire area of running board 12. Second, the ground 30 beneath running board 12 may be illuminated by directing an end of light tube 20 downward, as shown in phantom as Option A in Figure 1. Similarly, light source 22 may be tapped to provide light along the ground 30 below running board 12, as shown as Option B in Figures 1 (hidden) and 2 (in phantom). The lighting of the ground in this manner

allows for improved safety and aesthetic value. Third, the use of translucent or transparent outer portion 24 minimizes glare and directs light away from the eyes of the user, thereby allowing easier entry and exit of the vehicle. Fourth, the present invention allows a light source 22' to be disposed in an end-cap 32, as shown in phantom in Figure 1, or other feature of running board 12 to minimize the environmental effects on light source 22'.

It is anticipated that running board light assembly 10 may be used in various applications, such as to illuminate rear bumper steps, trailer platforms, or similar stepping surfaces.

10

5

The invention being thus described, it will be obvious that the same may be varied in many ways. Such variations are not to be regarded as a departure from the spirit and scope of the invention, and all such modifications as would be obvious to one skilled in the art are intended to be included within the scope of the following claims.

CLAIMS

What is claimed is:

1. A lighting assembly for a running board of a vehicle, comprising:

at least one light tube extending along at least a portion of the running

board; and

at least one light source for emitting light into said at least one light tube, whereby said at least one light tube directs said light directly and uniformly over a stepping surface of the running board.

10

5

2. The lighting assembly according to Claim 1 further comprising:

an outer portion disposed in said at least one light tube for minimizing glare and directing said light away from the eyes of a user.

15

- 3. The lighting assembly according to Claim 2 wherein said outer portion is translucent.
- 4. The lighting assembly according to Claim 2 wherein said outer portion is transparent.

20

5. The lighting assembly according to Claim 1 wherein an end of said at least one light tube is bent downward with respect to the vehicle for directing said light directly and uniformly over a ground surface below the vehicle.

10

15

- 6. The lighting assembly according to Claim 1 wherein said at least one light source is tapped into to direct a portion of said light directly and uniformly over a ground surface below the vehicle.
- 7. The lighting assembly according to Claim 1 wherein said at least one light source includes incandescent bulbs.
- 8. The lighting assembly according to Claim 1 wherein said at least one light source includes halogen bulbs.
- 9. The lighting assembly according to Claim 1 wherein said at least one light source includes light emitting diodes (LED).
- 10. The lighting assembly according to Claim 1 wherein said at least one light tube is a hard acrylic light tube.
- 11. The lighting assembly according to Claim 1 wherein said at least one light tube is a soft acrylic light tube.
- 20 12. The lighting assembly according to Claim 1 wherein said at least one light tube is a fiber-optic light tube.

13. A running board lighting assembly for a vehicle, comprising:

a running board;

at least one light tube extending along at least a portion of said running board; and

5

at least one light source for emitting light into said at least one light tube, whereby said at least one light tube directs said light directly and uniformly over a stepping surface of said running board.

14. The running board lighting assembly according to Claim 13 further comprising:

a translucent portion disposed in said at least one light tube for minimizing glare and directing said light away from the eyes of a user.

15. The running board lighting assembly according to Claim 13 further comprising:

at least one cavity within said running board for encapsulating said at least one light source, whereby said at least one cavity secures and protects said at least one light source.

16. The running board lighting assembly according to Claim 13 wherein an end of said at least one light tube is bent downward with respect to the vehicle for directing said light directly and uniformly over a ground surface below the vehicle.

- 17. The running board lighting assembly according to Claim 13 wherein said at least one light source is tapped into to direct a portion of said light directly and uniformly over a ground surface below the vehicle.
 - 18. A running board lighting assembly for a vehicle, comprising:
 a running board having at least one cavity;

at least one light tube extending along at least a portion of said running board;

an outer portion disposed in said at least one light tube; and at least one light source for emitting light into said at least one light tube, said at least one light source being disposed in said at least one cavity of said running board, whereby said at least one light tube directs said light directly and uniformly over a stepping surface of said running board and a ground surface below said running board.

- 19. The lighting assembly according to Claim 18 wherein said outer portion is translucent.
- 20. The lighting assembly according to Claim 18 wherein said outer portion is transparent.

ABSTRACT OF THE DISCLOSURE

A running board light assembly is provided having a light source emitting light into a light tube extending along the length of a running board. The light tube casts light directly and uniformly upon a stepping surface of the running board and upon a ground surface below the running board, without directing excessive glare or light into the eyes of the user.

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

LIGHT-TUBE RUNNING BOARD LIGHTING

ine spe	ecitication	ОТ	wnich	(cneck	one)	

[/]	is attached hereto.		
[]	was filed on	as Application Serial No	and
	was amended on	(if applicable).	

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, section 119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

PRIOR FOREIGN APPLICATION(S)

			<u>Priority</u>	/ Claim
(Number)	(Country)	(Day/Month/Year filed)	Yes	No
(Number)	(Country)	(Day/Month/Year filed)	Yes	No
(Number)	(Country)	(Day/Month/Year filed)	Yes	No

DECLARATION AND POWER OF ATTORNEY

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States Provisional application(s) listed below:

PRIOR PROVISIONAL APPLICATIONS

(application serial number)

(Month / Day / Year filed)

(application certai flamesi)		,,	
(application serial number)	<u> </u>	Month / Day / Year filed)	_
I hereby claim the benefit und application(s) listed below a application is not disclosed in first paragraph of Title 35, Un material information as defin became available between international filing date of this	nd, insofar as the subj the prior United States lited States Code, section and in Title 37, Code of the filing date of the p	ect matter of each of the of application in the manner properties and 112, I acknowledge the du Federal Regulations, sections	claims of this rovided by the uty to disclose on 1.56 which
Application Serial No.	Filing Date	Status - patento pending, abanc	
-			

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I hereby appoint Michael J. Schmidt, Reg. No. 34,007, and each principal, attorney of counsel, associate and employee of Harness, Dickey & Pierce, P.L.C., who is a registered Patent Attorney, my attorney with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. I request the Patent and Trademark Office to direct all correspondence and telephone calls relative to this application to Harness, Dickey & Pierce, P.L.C., P. O. Box 828, Bloomfield Hills, Michigan 48303 (248) 641-1600.

DECLARATION AND POWER OF ATTORNEY

Full name of first inventor: Floyd R. Dickson
Inventor's signature:
Date:
Residence: 112 Hoodstown Shores Blvd., Huntsville, Ontario P1H 2K7 CANADA
Citizenship: Canadian
Post Office Address: same as above
Full name of second joint inventor: _Donald P. Chevalier
Second Inventor's signature:
Date:
Residence: 23686 Hollweg, Armada, Michigan 48005 U.S.A.
Citizenship: Canadian
Post Office Address: same as above
Full name of third joint inventor: Mark Daley-Fell
Third Inventor's signature:
Date:
Residence: R.R. 5, Orillia, Ontario L3V 6H5 CANADA
Citizenship: Canadian
Post Office Address: same as above



